

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| Parameters | Home: | Ex. 6 - Personal Privacy | | | | | | |
|------------------------|----------------------------|--------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | Field Sample ID: | MWF-METALS-011 | MWF-METALS-012 | MWF-METALS-013 | MWF-METALS-014 | MWF-METALS-015 | MWF-METALS-016 | MWF-METALS-017 |
| | Sample Date: | 6/16/2016 | 6/16/2016 | 6/16/2016 | 6/16/2016 | 6/16/2016 | 6/16/2016 | 6/16/2016 |
| | Laboratory Job Number: | 82565 | 82565 | 82565 | 82565 | 82565 | 82565 | 82565 |
| | Adult / Child / Duplicate: | | Duplicate | | Duplicate | | Duplicate | |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m ³ | 1.16 | 0.911 | 0.972 | 0.795 | 1.01 | 0.974 | 1.56 |
| Antimony | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m ³ | 0.257 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | µg/m ³ | ND<0.25 | | ND<0.25 | ND<0.25 | | | ND<0.25 |
| Calcium | µg/m ³ | 14.2 * | 12.1 * | 14.0 * | 11.3 * | 12.1 * | 12.5 * | 13.7 * |
| Chromium | µg/m ³ | 0.714 | 0.354 | ND<0.25 | 0.856 J | 1.19 | 1.13 | 1.55 |
| Cobalt | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m ³ | J | | 0.333 J | 0.532 J | | 0.932 J | ND<0.25 |
| Lead | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m ³ | J | 2.61 J | 2.08 | 0.8 | 0.860 | 0.770 | 1.07 |
| Manganese | µg/m ³ | 0.63 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | | 0.588 * J | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Selenium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m ³ | 3.95 | 3.42 | 4.06 J | 2.60 J | 4.93 | 4.75 | 5.80 |
| Thallium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m ³ | 0.496 J | 0.272 J | 0.343 | 0.422 | 0.266 J | 6.12 J | 0.326 |

Notes:
Bold results exceed applicable limits for characteristic hazardous wastes
ND<X = constituents(s) not detected at or above method detection limit
* = Trace level of target analyte was detected in the associated field blank and the result was adjusted by field blank concentration
J = analyte was detected. However, analyte concentration is an estimated value which is between the method detection limit (MDL) and the practical quantitation limit (PQL)
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| | | | | | | | | |
|------------------------|----------------------------|--------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Parameters | Home: | Ex. 6 - Personal Privacy | | | | | | |
| | Field Sample ID: | MWF-METALS-018 | MWF-METALS-019 | MWF-METALS-020 | MWF-METALS-021 | MWF-METALS-023 | MWF-METALS-024 | MWF-METALS-025 |
| | Sample Date: | 6/16/2016 | 6/16/2016 | 6/16/2016 | 6/17/2016 | 6/17/2016 | 6/17/2016 | 6/17/2016 |
| | Laboratory Job Number: | 82565 | 82565 | 82565 | 82565 | 82565 | 82565 | 82565 |
| | Adult / Child / Duplicate: | Duplicate | | Duplicate | | | | |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m ³ | 1.21 | 1.32 J | 2.18 J | 0.927 | 1.48 | 0.948 | 0.929 |
| Antimony | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Calcium | µg/m ³ | 11.3 * | 11.4 * | 5.66 * | 7.70 * | 6.86 * | 5.26 * | 4.58 * |
| Chromium | µg/m ³ | 0.85 | ND<0.25 | 0.880 J | 0.323 | ND<0.25 | ND<0.25 | 0.66 |
| Cobalt | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m ³ | ND<0.25 | ND<0.25 | 1.46 | 1.10 | 0.841 | ND<0.25 | ND<0.25 |
| Lead | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Manganese | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | 1.32 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | µg/m ³ | ND<0.25 | 0.620 J | ND<0.25 | ND<0.25 | 2.07 | 1.16 | 0.870 |
| Selenium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m ³ | 6.12 | 5.67 | 5.42 | 4.38 * | 7.72 * | 5.74 * | 4.93 * |
| Thallium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m ³ | 0.304 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abc
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| | | | | | | | | |
|------------------------|----------------------------|--------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Parameters | Home: | Ex. 6 - Personal Privacy | | | | | | |
| | Field Sample ID: | MWF-METALS-026 | MWF-METALS-027 | MWF-METALS-028 | MWF-METALS-029 | MWF-METALS-030 | MWF-METALS-044 | MWF-METALS-045 |
| | Sample Date: | 6/17/2016 | 6/18/2016 | 6/18/2016 | 6/18/2016 | 6/18/2016 | 6/22/2016 | 6/22/2016 |
| | Laboratory Job Number: | 82565 | 82565 | 82565 | 82565 | 82565 | 82731 | 82731 |
| | Adult / Child / Duplicate: | | | | | | | |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m ³ | 0.829 | 0.767 * | 0.419 * | 0.491 * | 0.471 * | ND<0.25 | 0.437 |
| Antimony | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Calcium | µg/m ³ | 0.41 * | 4.14 * | 3.66 * | ND<0.25 | ND<0.25 | 1.74 * | 2.52 * |
| Chromium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | 0.519 * | ND<0.25 * | 0.272 * | 0.375 * |
| Cobalt | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | 3.85 | ND<0.25 | ND<0.25 | 1.31 |
| Lead | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | 0.12 | 0.366 | 0.592 | 0.970 |
| Manganese | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | µg/m ³ | ND<0.25 | 0.683 | ND<0.25 | ND<0.25 | ND<0.25 | 0.846 | 2.07 |
| Selenium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m ³ | 3.72 * | 3.33 * | 3.44 * | 0.763 * | 1.47 * | ND<0.25 | 2.58 |
| Thallium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abc
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| Parameters | Home: | | | | | | | |
|------------------------|----------------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | Field Sample ID: | MWF-METALS-048 | MWF-METALS-049 | MWF-METALS-050 | MWF-METALS-051 | MWF-METALS-052 | MWF-METALS-053 | MWF-METALS-056 |
| | Sample Date: | 6/22/2016 | 6/22/2016 | 6/22/2016 | 6/22/2016 | 6/22/2016 | 6/22/2016 | 6/23/2016 |
| | Laboratory Job Number: | 82731 | 82731 | 82731 | 82731 | 82731 | 82731 | 82746 |
| | Adult / Child / Duplicate: | Adult | Child | Adult | Child | Adult | Child | Adult |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | 0.495 | ND<0.25 | 0.612 |
| Antimony | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Calcium | µg/m ³ | 2.22 * | 2.49 * | 2.05 * | 1.07 * | 3.36 * | 2.13 * | 2.29 * |
| Chromium | µg/m ³ | 0.17 * | 0.338 * | ND<0.25 * | ND<0.25 * | 0.296 * | 0.306 * | 0.905 |
| Cobalt | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Lead | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m ³ | 0.2 | 0.656 | 0.5 | 1.0 | 0.556 | 0.440 | 0.657 |
| Manganese | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | µg/m ³ | 0.698 | 1.22 | 0.32 | 1.0 | 1.37 | 1.02 | ND<0.25 |
| Selenium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m ³ | ND<0.25 | 0.588 | ND<0.25 | ND<0.25 | 0.560 | ND<0.25 | 3.19 |
| Thallium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m ³ | ND<0.25 | 0.352 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | 0.437 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abc
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| | | | | | | | | |
|------------------------|----------------------------|--------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Parameters | Home: | Ex. 6 - Personal Privacy | | | | | | |
| | Field Sample ID: | MWF-METALS-057 | MWF-METALS-058 | MWF-METALS-059 | MWF-METALS-060 | MWF-METALS-061 | MWF-METALS-062 | MWF-METALS-063 |
| | Sample Date: | 6/23/2016 | 6/23/2016 | 6/23/2016 | 6/23/2016 | 6/23/2016 | 6/23/2016 | 6/23/2016 |
| | Laboratory Job Number: | 82746 | 82746 | 82746 | 82746 | 82746 | 82746 | 82746 |
| | Adult / Child / Duplicate: | Child | Adult | Child | Adult | Child | Adult | Child |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m ³ | 0.351 | 0.459 | 0.619 | 0.573 | 0.335 | 0.294 | ND<0.25 |
| Antimony | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Calcium | µg/m ³ | 0.30 * | 1.17 * | 0.943 * | 0.442 * | 0.433 * | ND<0.25 | 0.506 * |
| Chromium | µg/m ³ | 0.32 | 0.323 | 0.477 | 0.848 | 0.472 | 0.778 | 0.752 |
| Cobalt | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Lead | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m ³ | 0.50 | 0.502 | 0.50 | 0.56 | 0.315 | 0.425 | 0.440 |
| Manganese | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Selenium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m ³ | 1.83 | 1.30 | 2.19 | 0.920 | ND<0.25 | 0.289 | 0.918 |
| Thallium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abc
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| | | | | | | | | |
|------------------------|----------------------------|--------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Parameters | Home: | Ex. 6 - Personal Privacy | | | | | | |
| | Field Sample ID: | MWF-METALS-064 | MWF-METALS-065 | MWF-METALS-066 | MWF-METALS-067 | MWF-METALS-070 | MWF-METALS-071 | MWF-METALS-072 |
| | Sample Date: | 6/23/2016 | 6/23/2016 | 6/23/2016 | 6/23/2016 | 6/23/2016 | 6/23/2016 | 6/23/2016 |
| | Laboratory Job Number: | 82746 | 82746 | 82746 | 82746 | 82746 | 82746 | 82746 |
| | Adult / Child / Duplicate: | Adult | Child | | | Adult | Child | Adult |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m ³ | 0.362 | 0.329 | ND<0.25 | ND<0.25 | 0.278 | 0.400 | 0.348 |
| Antimony | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Calcium | µg/m ³ | 0.56 * | 0.849 * | 1.18 * | 4.10 * | 3.20 * | 2.18 * | 1.18 * |
| Chromium | µg/m ³ | 0.728 | 0.915 | 0.409 | 0.548 | 0.458 | 0.411 | 0.407 |
| Cobalt | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Lead | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m ³ | 0.8 | 0.336 | 0.7 | 0.26 | 0.462 | 1.62 | 0.457 |
| Manganese | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Selenium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m ³ | 1.03 | 1.42 | 0.457 | 0.411 | 0.960 | 0.846 | 0.575 |
| Thallium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | 1.05 | ND<0.25 | ND<0.25 | 0.987 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abc
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| | | | | | | | | |
|------------------------|----------------------------|--------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Parameters | Home: | Ex. 6 - Personal Privacy | | | | | | |
| | Field Sample ID: | MWF-METALS-073 | MWF-METALS-074 | MWF-METALS-075 | MWF-METALS-076 | MWF-METALS-077 | MWF-METALS-078 | MWF-METALS-079 |
| | Sample Date: | 6/23/2016 | 6/23/2016 | 6/23/2016 | 6/23/2016 | 6/23/2016 | 6/23/2016 | 6/23/2016 |
| | Laboratory Job Number: | 82746 | 82746 | 82746 | 82746 | 82746 | 82746 | 82746 |
| | Adult / Child / Duplicate: | Child | Adult | Child | Adult | Child | Adult | Child |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m ³ | 0.465 | 0.573 | 0.333 | ND<0.25 | 0.345 | 0.383 | 0.372 |
| Antimony | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Calcium | µg/m ³ | 0.23 * | 1.95 * | 1.92 * | 1.48 * | ND<0.25 * | 0.965 * | 2.75 * |
| Chromium | µg/m ³ | 0.56 | 0.442 | 0.481 | 0.47 | 0.417 | 0.475 | 0.483 |
| Cobalt | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Lead | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m ³ | 1 | 0.710 | 0.7 | 0.82 | 1.25 | 0.716 | 0.854 |
| Manganese | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Selenium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m ³ | 0.960 | 0.839 | 4.51 | 0.384 | ND<0.25 | 0.646 | 1.84 |
| Thallium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m ³ | 0.619 | 16.3 | 1.02 | 6.16 | 0.306 | ND<0.25 | 0.509 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abc
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| Parameters | Home: | Ex. 6 - Personal Privacy | | | | | | |
|------------------------|----------------------------|--------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | Field Sample ID: | MWF-METALS-082 | MWF-METALS-083 | MWF-METALS-084 | MWF-METALS-085 | MWF-METALS-086 | MWF-METALS-087 | MWF-METALS-088 |
| | Sample Date: | 6/24/2016 | 6/24/2016 | 6/24/2016 | 6/24/2016 | 6/24/2016 | 6/24/2016 | 6/24/2016 |
| | Laboratory Job Number: | 82851 | 82851 | 82851 | 82851 | 82851 | 82851 | 82851 |
| | Adult / Child / Duplicate: | Adult | Child | Child | Adult | Adult | Child | Adult |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m ³ | 2.77 * | 1.83 * | 2.08 * | 1.58 * | 2.85 * | 2.44 * | 0.273 * |
| Antimony | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Calcium | µg/m ³ | 2.22 * | 1.64 * | 2.50 * | 1.22 * | 3.59 * | 1.35 * | 0.965 * |
| Chromium | µg/m ³ | ND<0.25 * | ND<0.25 * | ND<0.25 * | ND<0.25 * | ND<0.25 * | ND<0.25 * | ND<0.25 * |
| Cobalt | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Lead | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m ³ | 0.25 * | ND<0.25 | 0.25 * | ND<0.25 * | 0.349 * | 0.191 * | ND<0.25 * |
| Manganese | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 * | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Selenium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m ³ | 20.3 | 17.6 | 18.0 | 14.9 | 18.7 | 16.0 | 2.02 |
| Thallium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abc
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| | | | | | | | | |
|------------------------|----------------------------|--------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Parameters | Home: | Ex. 6 - Personal Privacy | | | | | | |
| | Field Sample ID: | MWF-METALS-089 | MWF-METALS-090 | MWF-METALS-091 | MWF-METALS-092 | MWF-METALS-093 | MWF-METALS-094 | MWF-METALS-095 |
| | Sample Date: | 6/24/2016 | 6/24/2016 | 6/24/2016 | 6/24/2016 | 6/24/2016 | 6/24/2016 | 6/24/2016 |
| | Laboratory Job Number: | 82851 | 82851 | 82851 | 82851 | 82851 | 82851 | 82851 |
| | Adult / Child / Duplicate: | Child | Child | AdultDuplicate | Adult | Adult | Child | |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m ³ | ND<0.25 * | 0.328 * | 0.456 * | 0.284 * | 0.379 * | ND<0.25 * | 0.359 * |
| Antimony | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Calcium | µg/m ³ | 1.18 * | 4.23 * | 1.86 J | 1.39 * | 2.05 * | 0.443 * | 0.469 * |
| Chromium | µg/m ³ | ND<0.25 * | ND<0.25 * | ND<0.25 * | ND<0.25 * | ND<0.25 * | ND<0.25 | ND<0.25 * |
| Cobalt | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m ³ | ND<0.25 | ND<0.25 | 0.499 J | 0.522 J | ND<0.25 | ND<0.25 | 0.558 J |
| Lead | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m ³ | ND<0.25 * | ND<0.25 | 0.458 J | 0.558 J | 0.561 J | ND<0.25 | 0.487 * |
| Manganese | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | µg/m ³ | ND<0.25 | ND<0.25 * | 0.57 J | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Selenium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m ³ | ND<0.25 | 1.37 | 3.13 J | 1.90 | 2.98 | 0.720 | 2.56 |
| Thallium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abc
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| | | | | | | | | |
|------------------------|----------------------------|--------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Parameters | Home: 3 | Ex. 6 - Personal Privacy | | | | | | |
| | Field Sample ID: | MWF-METALS-096 | MWF-METALS-097 | MWF-METALS-098 | MWF-METALS-099 | MWF-METALS-100 | MWF-METALS-101 | MWF-METALS-102 |
| | Sample Date: | 6/24/2016 | 6/24/2016 | 6/24/2016 | 6/24/2016 | 6/24/2016 | 6/24/2016 | 6/24/2016 |
| | Laboratory Job Number: | 82851 | 82851 | 82851 | 82851 | 82851 | 82851 | 82851 |
| | Adult / Child / Duplicate: | Child | Adult | Child | Child | Adult | Adult | Child |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m ³ | ND<0.25 * | 0.276 * | 0.285 * | 0.607 * | ND<0.25 * | 1.55 * | 0.311 * |
| Antimony | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Calcium | µg/m ³ | 602 * | 0.966 * | ND<0.25 * | 1.01 * | 0.667 * | 1.75 * | 0.366 * |
| Chromium | µg/m ³ | ND<0.25 * | ND<0.25 * | ND<0.25 * | ND<0.25 * | ND<0.25 * | ND<0.25 * | ND<0.25 * |
| Cobalt | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Lead | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m ³ | ND<0.25 * | 0.406 * | 0.366 * | 0.52 * | 0.265 * | 0.596 * | ND<0.25 * |
| Manganese | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Selenium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m ³ | 1.45 | 2.70 | 1.45 | 2.97 | 0.595 | ND<0.25 | 0.762 |
| Thallium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abc
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| Parameters | Home: | Ex. 6 - Personal Privacy | | | | | | |
|------------------------|----------------------------|--------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | Field Sample ID: | MWF-METALS-103 | MWF-METALS-104 | MWF-METALS-105 | MWF-METALS-106 | MWF-METALS-109 | MWF-METALS-110 | MWF-METALS-111 |
| | Sample Date: | 6/24/2016 | 6/24/2016 | 6/24/2016 | 6/24/2016 | 6/24/2016 | 6/24/2016 | 6/24/2016 |
| | Laboratory Job Number: | 82851 | 82851 | 82851 | 82851 | 82851 | 82851 | 82851 |
| | Adult / Child / Duplicate: | ChildDuplicate | Adult | Child | Adult | Adult | ChildDuplicate | Child |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m ³ | ND<0.25 * | ND<0.25 * | 0.406 J | ND<0.25 * | 0.402 * | 0.360 * | 0.362 * |
| Antimony | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Calcium | µg/m ³ | ND<0.25 * | 0.979 * | 0.354 * | 2.93 * | 1.26 J | 1.58 J | 2.44 J |
| Chromium | µg/m ³ | ND<0.25 * | ND<0.25 * | ND<0.25 * | ND<0.25 * | ND<0.25 * | ND<0.25 * | ND<0.25 * |
| Cobalt | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Lead | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m ³ | ND<0.25 * | ND<0.25 * | ND<0.25 * | ND<0.25 * | ND<0.25 * | ND<0.25 * | 0.554 J |
| Manganese | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 J |
| Selenium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m ³ | 1.61 | 0.814 | 1.22 | ND<0.25 | 0.807 J | 1.92 J | 6.57 |
| Thallium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abc
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| Parameters | Home: | Ex. 6 - Personal Privacy | | | | | | |
|------------------------|----------------------------|--------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | Field Sample ID: | MWF-METALS-112 | MWF-METALS-113 | MWF-METALS-114 | MWF-METALS-115 | MWF-METALS-122 | MWF-METALS-123 | MWF-METALS-124 |
| | Sample Date: | 6/24/2016 | 6/24/2016 | 6/24/2016 | 6/24/2016 | 6/25/2016 | 6/25/2016 | 6/25/2016 |
| | Laboratory Job Number: | 82851 | 82851 | 82851 | 82851 | 82856 | 82856 | 82856 |
| | Adult / Child / Duplicate: | Child | Adult | AdultDuplicate | ChildDuplicate | Adult | Adult | Child |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m ³ | 0.275 J | ND<0.25 * | ND<0.25 * | 0.471 J | ND<0.25 | ND<0.25 | 0.279 |
| Antimony | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | | ND<0.25 | | ND<0.25 | ND<0.25 | | | ND<0.25 |
| Calcium | µg/m ³ | 0.01 J | 1.33 J | 0.893 J | 0.760 J | ND<0.25 | ND<0.25 | 1.59 * |
| Chromium | µg/m ³ | ND<0.25 * | ND<0.25 * | ND<0.25 * | ND<0.25 * | 0.383 | 0.263 | 0.336 |
| Cobalt | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m ³ | ND<0.25 | | ND<0.25 | ND<0.25 | | ND<0.25 | ND<0.25 |
| Lead | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m ³ | ND<0.25 * | 0.314 | 0.314 | 0.70 * | 0.481 | 0.352 | 0.325 |
| Manganese | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Selenium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m ³ | 6.05 J | 4.89 | 4.22 | 0.807 J | ND<0.25 | ND<0.25 | ND<0.25 |
| Thallium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abc
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| Parameters | Home: | Ex. 6 - Personal Privacy | | | | | | |
|------------------------|----------------------------|--------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | Field Sample ID: | MWF-METALS-T25 | MWF-METALS-T26 | MWF-METALS-T27 | MWF-METALS-T28 | MWF-METALS-T29 | MWF-METALS-T30 | MWF-METALS-T31 |
| | Sample Date: | 6/25/2016 | 6/25/2016 | 6/25/2016 | 6/25/2016 | 6/25/2016 | 6/25/2016 | 6/25/2016 |
| | Laboratory Job Number: | 82856 | 82856 | 82856 | 82856 | 82856 | 82856 | 82856 |
| | Adult / Child / Duplicate: | Child | Child | Adult | Child | AdultDuplicate | ChildDuplicate | Child |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m ³ | 1.67 | ND<0.25 | 0.376 | 0.672 | ND<0.25 | ND<0.25 | ND<0.25 |
| Antimony | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Calcium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Chromium | µg/m ³ | 0.365 | 0.367 | 0.391 | 0.342 | 0.342 | 0.362 | 0.311 |
| Cobalt | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | 0.423 |
| Lead | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m ³ | 0.628 | 0.623 | 0.576 | 0.603 | 0.498 | 0.468 | 0.613 |
| Manganese | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Selenium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m ³ | 1.17 | ND<0.25 | 0.752 | 0.576 | ND<0.25 | ND<0.25 | ND<0.25 |
| Thallium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abc
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| | | | | | | | | |
|------------------------|----------------------------|--------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Parameters | Home: | Ex. 6 - Personal Privacy | | | | | | |
| | Field Sample ID: | MWF-METALS-132 | MWF-METALS-133 | MWF-METALS-134 | MWF-METALS-135 | MWF-METALS-136 | MWF-METALS-137 | MWF-METALS-138 |
| | Sample Date: | 6/25/2016 | 6/25/2016 | 6/25/2016 | 6/25/2016 | 6/25/2016 | 6/25/2016 | 6/25/2016 |
| | Laboratory Job Number: | 82856 | 82856 | 82856 | 82856 | 82856 | 82856 | 82856 |
| | Adult / Child / Duplicate: | Adult | Child | ChildDuplicate | Child | Adult | Adult | Adult |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Antimony | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Calcium | µg/m ³ | ND<0.25 | ND<0.25 | 1.54 * | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Chromium | µg/m ³ | 0.356 | 0.404 | 0.31 | 0.361 | 0.258 | ND<0.25 | 0.368 |
| Cobalt | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Lead | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m ³ | 0.58 | 0.566 | 0.58 | 0.602 | 0.478 | 0.610 | 0.596 |
| Manganese | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Selenium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m ³ | ND<0.25 | 1.52 | 3.38 | 3.72 | 2.39 | 2.32 | ND<0.25 |
| Thallium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abc
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| Parameters | Home: | Ex. 6 - Personal Privacy | | | | | | |
|------------------------|----------------------------|--------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | Field Sample ID: | MWF-METALS-139 | MWF-METALS-140 | MWF-METALS-141 | MWF-METALS-142 | MWF-METALS-143 | MWF-METALS-144 | MWF-METALS-145 |
| | Sample Date: | 6/25/2016 | 6/25/2016 | 6/25/2016 | 6/25/2016 | 6/25/2016 | 6/26/2016 | 6/26/2016 |
| | Laboratory Job Number: | 82856 | 82856 | 82856 | 82856 | 82856 | 82856 | 82856 |
| | Adult / Child / Duplicate: | Child | Child | Adult | AdultDuplicate | Adult | Adult | Child |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m ³ | 0.890 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Antimony | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Calcium | µg/m ³ | ND<0.25 | ND<0.25 | 0.424 * | 0.301 * | 1.71 * | 1.24 * | ND<0.25 |
| Chromium | µg/m ³ | 0.382 | 0.331 | 0.315 | 0.43 | 0.318 | 0.298 | ND<0.25 |
| Cobalt | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Lead | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m ³ | 0.735 | 0.730 | 0.683 | 0.658 | 0.608 | 0.319 | |
| Manganese | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Selenium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m ³ | 4.06 | 0.700 | 6.90 | 5.31 | 4.79 | ND<0.25 | 1.72 |
| Thallium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abc
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| | | | | | | | | |
|------------------------|----------------------------|--------------------------|----------------|----------------|----------------|----------------|----------------|-----------------|
| Parameters | Home: | Ex. 6 - Personal Privacy | | | | | | |
| | Field Sample ID: | MWF-METALS-150 | MWF-METALS-151 | MWF-METALS-152 | MWF-METALS-153 | MWF-METALS-154 | MWF-METALS-155 | MWF-METALS-156D |
| | Sample Date: | 7/1/2016 | 7/1/2016 | 7/1/2016 | 7/1/2016 | 7/1/2016 | 7/1/2016 | 7/1/2016 |
| | Laboratory Job Number: | 82949 | 82949 | 82949 | 82949 | 82949 | 82949 | 82949 |
| | Adult / Child / Duplicate: | Child | Adult | ChildDuplicate | AdultDuplicate | Adult | Child | AdultDuplicate |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m ³ | 1.22 | 0.800 | 0.522 | 1.03 | ND<0.25 | ND<0.25 | 1.29 |
| Antimony | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Calcium | µg/m ³ | 8.82 | 5.53 | 7.11 | 6.92 | 2.10 | 3.97 | 3.52 |
| Chromium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cobalt | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Lead | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m ³ | 1.56 | 1.56 | 1.56 | 0.596 | 1.50 | 0.818 | |
| Manganese | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | 0.1 | ND<0.25 | ND<0.25 | ND<0.25 |
| Selenium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m ³ | 12.8 | 9.51 | 9.18 | 12.1 | 3.50 | 5.07 | 5.40 |
| Thallium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m ³ | 0.332 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abc
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| | | | | | | | | |
|------------------------|----------------------------|--------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Parameters | Home: | Ex. 6 - Personal Privacy | | | | | | |
| | Field Sample ID: | MWF-METALS-157D | MWF-METALS-158 | MWF-METALS-159 | MWF-METALS-160 | MWF-METALS-161 | MWF-METALS-162 | MWF-METALS-163 |
| | Sample Date: | 7/1/2016 | 7/1/2016 | 7/1/2016 | 7/1/2016 | 7/1/2016 | 7/1/2016 | 7/1/2016 |
| | Laboratory Job Number: | 82949 | 82951 | 82951 | 82951 | 82951 | 82951 | 82951 |
| | Adult / Child / Duplicate: | ChildDuplicate | Child | Adult | ChildDuplicate | AdultDuplicate | Adult | Child |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m ³ | 0.465 | 1.07 | 1.16 | ND<0.25 | 0.283 | 0.403 | 0.556 |
| Antimony | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Calcium | µg/m ³ | 5.38 | 4.20 | 2.98 | 3.43 | 2.62 | 4.31 | 3.96 |
| Chromium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cobalt | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Lead | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m ³ | 9 | 1.13 | 0.9 | 0.3 | 1.11 | 1.63 | 1.58 |
| Manganese | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Selenium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m ³ | 6.07 | 8.78 | 8.63 | 8.31 | 7.14 | 12.1 | 9.59 |
| Thallium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abc
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| | | | | | | | | |
|------------------------|----------------------------|--------------------------|----------------|----------------|----------------|-----------------|-----------------|----------------|
| Parameters | Home: | Ex. 6 - Personal Privacy | | | | | | |
| | Field Sample ID: | MWF-METALS-164 | MWF-METALS-165 | MWF-METALS-166 | MWF-METALS-167 | MWF-METALS-168D | MWF-METALS-169D | MWF-METALS-170 |
| | Sample Date: | 7/1/2016 | 7/1/2016 | 7/1/2016 | 7/1/2016 | 7/1/2016 | 7/1/2016 | 7/1/2016 |
| | Laboratory Job Number: | 82951 | 82951 | 82951 | 82951 | 82951 | 82951 | 82954 |
| | Adult / Child / Duplicate: | AdultDuplicate | ChildDuplicate | Adult | Child | AdultDuplicate | ChildDuplicate | Adult |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m ³ | 0.732 | 0.509 | 3.07 | 3.14 | 2.68 | 2.47 | 0.714 |
| Antimony | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Calcium | µg/m ³ | 5.74 | 5.59 | 39.8 | 34.9 | 27.5 | 27.5 | 5.42 |
| Chromium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cobalt | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | 0.822 |
| Lead | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m ³ | 1.84 | 1.84 | 3.07 | 3.14 | 2.81 | 2.84 | 0.792 |
| Manganese | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Selenium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m ³ | 11.6 | 12.2 | 8.46 | 7.49 | 8.57 | 9.41 | 3.62 |
| Thallium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | 0.254 | ND<0.25 | ND<0.25 | 0.484 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abc
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| Parameters | Home: | Ex. 6 - Personal Privacy | | | | | | |
|------------------------|----------------------------|--------------------------|----------------|----------------|-----------------|-----------------|----------------|----------------|
| | Field Sample ID: | MWF-METALS-171 | MWF-METALS-172 | MWF-METALS-173 | MWF-METALS-174D | MWF-METALS-175D | MWF-METALS-176 | MWF-METALS-177 |
| | Sample Date: | 7/1/2016 | 7/1/2016 | 7/1/2016 | 7/2/2016 | 7/2/2016 | 7/2/2016 | 7/2/2016 |
| | Laboratory Job Number: | 82954 | 82954 | 82954 | 82955 | 82955 | 82955 | 82955 |
| | Adult / Child / Duplicate: | Child | Child | Adult | ChildDuplicate | AdultDuplicate | Adult | Child |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m³ | 0.349 | 0.608 | 0.799 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Antimony | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | 0.510 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Calcium | µg/m³ | 5.24 | 6.67 | 7.33 | ND<0.25 | ND<0.25 | 0.467 | 1.04 |
| Chromium | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cobalt | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m³ | ND<0.25 | ND<0.25 | 0.917 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Lead | µg/m³ | ND<0.25 | 0.41 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m³ | ND<0.25 | 1.32 | 1.05 | 0.56 | 0.642 | 0.860 | 0.814 |
| Manganese | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Selenium | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m³ | 3.87 | 7.23 | 6.88 | 2.46 | 2.90 | 3.78 | 4.10 |
| Thallium | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m³ | ND<0.25 | ND<0.25 | 0.313 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| Parameters | Home: | Ex. 6 - Personal Privacy | | | | | | |
|------------------------|----------------------------|--------------------------|----------------|----------------|----------------|-----------------|-----------------|----------------|
| | Field Sample ID: | MWF-METALS-178 | MWF-METALS-179 | MWF-METALS-190 | MWF-METALS-191 | MWF-METALS-192D | MWF-METALS-193D | MWF-METALS-202 |
| | Sample Date: | 7/2/2016 | 7/2/2016 | 7/2/2016 | 7/2/2016 | 7/2/2016 | 7/2/2016 | 6/27/2016 |
| | Laboratory Job Number: | 82955 | 82955 | 82955 | 82955 | 82955 | 82955 | 82873 |
| | Adult / Child / Duplicate: | Adult | Child | Adult | Child | AdultDuplicate | ChildDuplicate | Adult |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m³ | ND<0.25 | 0.414 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | 0.376 * |
| Antimony | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Calcium | µg/m³ | 0.846 | 1.65 | 0.611 | 0.762 | ND<0.25 | 0.714 | 1.90 * |
| Chromium | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cobalt | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | 0.460 |
| Lead | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m³ | ND<0.25 | 0.784 | 0.611 | 0.594 | 0.536 | 0.535 | 0.523 * |
| Manganese | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Selenium | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m³ | 2.39 | 3.51 | 2.68 | 2.52 | 2.02 | 2.46 | 2.94 * |
| Thallium | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| | | | | | | | | |
|------------------------|----------------------------|--------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Parameters | Home: | Ex. 6 - Personal Privacy | | | | | | |
| | Field Sample ID: | MWF-METALS-203 | MWF-METALS-400 | MWF-METALS-213 | MWF-METALS-214 | MWF-METALS-217 | MWF-METALS-218 | MWF-METALS-219 |
| | Sample Date: | 6/27/2016 | 7/2/2016 | 7/3/2016 | 7/3/2016 | 7/5/2016 | 7/5/2016 | 7/5/2016 |
| | Laboratory Job Number: | 82873 | 82955 | 83087 | 83087 | 83088 | 83088 | 83088 |
| | Adult / Child / Duplicate: | Child | Adult | | | | | |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m ³ | ND<0.25 * | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | 0.343 | ND<0.25 |
| Antimony | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Calcium | µg/m ³ | ND<0.25 * | ND<0.25 | ND<0.25 | ND<0.25 | 3.91 | 1.76 | 3.06 |
| Chromium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cobalt | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Lead | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m ³ | ND<0.25 * | 0.657 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | 0.325 |
| Manganese | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | 1.18 | 0.607 | 0.601 |
| Selenium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m ³ | ND<0.25 * | 2.69 | 1.15 | ND<0.25 | 1.57 | 2.51 | 1.16 |
| Thallium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abc
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| Parameters | Home: | | | | | | | |
|------------------------|----------------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | Field Sample ID: | MWF-METALS-220 | MWF-METALS-221 | MWF-METALS-222 | MWF-METALS-223 | MWF-METALS-224 | MWF-METALS-225 | MWF-METALS-226 |
| | Sample Date: | 7/5/2016 | 7/5/2016 | 7/5/2016 | 7/5/2016 | 7/5/2016 | 7/5/2016 | 7/5/2016 |
| | Laboratory Job Number: | 83088 | 83088 | 83088 | 83088 | 83088 | 83088 | 83088 |
| | Adult / Child / Duplicate: | | | | | | | |
| | Units | | | | | | | |
| Metals / NIOSH-7303(M) | | | | | | | | |
| Aluminum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Antimony | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Arsenic | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Barium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Beryllium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cadmium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Calcium | µg/m ³ | 0.961 | 0.807 | 0.949 | 0.404 | ND<0.25 | 0.306 | ND<0.25 |
| Chromium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Cobalt | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Copper | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Iron | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Lead | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Magnesium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | 0.88 | ND<0.25 | ND<0.25 | ND<0.25 |
| Manganese | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Molybdenum | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Nickel | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Potassium | µg/m ³ | 0.565 | ND<0.25 | 0.45 | 0.1 | ND<0.25 | 0.265 | ND<0.25 |
| Selenium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Sodium | µg/m ³ | 1.00 | 1.05 | 1.53 | 0.717 | 0.524 | 0.795 | 0.469 |
| Thallium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Vanadium | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |
| Zinc | µg/m ³ | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 | ND<0.25 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abc
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

| | | |
|------------------------|----------------------------|--------------------------|
| | Home: | Ex. 6 - Personal Privacy |
| | Field Sample ID: | NWFF-MIE-TXLS-401 |
| | Sample Date: | 7/2/2016 |
| | Laboratory Job Number: | 82955 |
| | Adult / Child / Duplicate: | Child |
| | Parameters | Units |
| Metals / NIOSH-7303(M) | | |
| Aluminum | µg/m³ | ND<0.25 |
| Antimony | µg/m³ | ND<0.25 |
| Arsenic | µg/m³ | ND<0.25 |
| Barium | µg/m³ | 0.498 |
| Bismuth | µg/m³ | ND<0.25 |
| Boron | µg/m³ | ND<0.25 |
| Calcium | µg/m³ | ND<0.25 |
| Chromium | µg/m³ | ND<0.25 |
| Cobalt | µg/m³ | ND<0.25 |
| Copper | µg/m³ | ND<0.25 |
| Fluorine | µg/m³ | ND<0.25 |
| Lead | µg/m³ | ND<0.25 |
| Magnesium | µg/m³ | 0.82 |
| Manganese | µg/m³ | ND<0.25 |
| Molybdenum | µg/m³ | ND<0.25 |
| Nickel | µg/m³ | ND<0.25 |
| Potassium | µg/m³ | ND<0.25 |
| Selenium | µg/m³ | ND<0.25 |
| Sodium | µg/m³ | 2.48 |
| Thallium | µg/m³ | ND<0.25 |
| Vanadium | µg/m³ | ND<0.25 |
| Zinc | µg/m³ | ND<0.25 |

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected i
J = analyte was detected. However, analyte coi
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter